



# JAC FORKLIFT

Material Handling Experts From Automotive Quality

1.3-1.8T Electric forklift

CPD13J / CPD15J / CPD18J



**JAC** 安徽江淮银联重型工程机械有限公司  
ANHUI JIANGHUAI-YINLIAN HEAVY-DUTY CONSTRUCTION MACHINE CO.,LTD



<https://forklift-manuals.jimdofree.com>

# JAC FORKLIFT SPECIFICATION

## 1.3-1.8T Electric forklift



Model		Unit	CPD13J		CPD16J		CPD18J	
1	Load Capacity	kg	1300		1600		1800	
2	Load Center	mm	500		500		500	
3	Mast Lifting Height	mm	3000		3000		3000	
4	Mast Free Lifting	mm	120		120		120	
5	Fork	mm	920 x 100 x 40					
6	Mast Tilt( FR/RR)	°	6/10		6/10		6/10	
7	Turning Radius	mm	1990		2030		2030	
8	Ground Clearance	mm			93			
9	Height of Overhand Guard	mm	1020		1020		1020	
10	Overhang (FR)	mm	407		407		407	
	Max.Speed(load)	km/h	12		12		12	
12	Max.Lifting Speed(load)	mm/s	260 ( BC )	300 ( AC )	260 ( BC )	300 ( AC )	260 ( BC )	280 ( AC )
13	Max. Gradeability	%	15	15	15	15	15	15
14	Overall length(No fork)	mm	2158		2220		2220	
15	Overall Width	mm	1072		1072		1072	
16	Wheelbase	mm	1370		1370		1370	
17	Tread	Front/Rear	mm		894/920		894/920	
18	Service Weight	kg	2840		3000		3120	
19	Battery	Voltage/Capacity	V/Ah		48/400		48/500	
20	Motor	Traveling	KW		8		8	
		Lifting	KW		7.5	10	7.5	10
21	Way of Control		BC	AC	BC	AC	BC	AC
23	Operating Pressure	Mpa	15.5		15.5		15.5	
24	Max.Drawbar Pull	KN	13		13		13	



**JAC**

# JAC FORKLIFT

Material Handling Experts From Automotive Quality

2.0–2.5T Electric forklift

CPD20J / CPD25J



**JAC**

安徽江淮银联重型工程机械有限公司

ANHUI JIANGHUAI-YINLIAN HEAVY-DUTY CONSTRUCTION MACHINE CO.,LTD



<https://forklift-manuals.jimdofree.com>

# JAC FORKLIFT SPECIFICATION

## 2.0-2.5T Electric forklift



Model		Unit	CPD20J		CPD25J	
1	Load Capacity	kg	2000		2500	
2	Load Center	mm	500		500	
3	Mast Lifting Height	mm	3000		3000	
4	Mast Free Lifting	mm	155		155	
5	Fork	mm	1070 × 122 × 40			
6	Mast Tilt( FR/RR)	°	6/12		6/12	
7	Turning Radius	mm	2200		2200	
8	Ground Clearance	mm	110		110	
9	Height of Overhand Guard	mm	990		990	
10	Overhang (FR)	mm	466		466	
	Max.Speed(load)	km/h	12		12	
12	Max.Lifting Speed(load)	mm/s	220 ( BC )	280 ( AC )	215 ( BC )	280 ( AC )
13	Max. Gradeability	%	15	15	15	15
14	Overall length(No fork)	mm	2435		2435	
15	Overall Width	mm	1163		1163	
16	Wheelbase	mm	1520		1520	
17	Tread	mm	973/960		973/960	
18	Service Weight	kg	3850		4190	
19	Battery	V/Ah	48/600		48/630	
20	Motor	Traveling	KW		11.1	
21		Lifting	KW	8.6	12	8.6
22	Way of Control		BC	AC	BC	AC
23	Operating Pressure	Mpa	18.5		18.5	
24	Max.Drawbar Pull	KN	17		17	





# JAC FORKLIFT

Material Handling Experts From Automotive Quality

3.0-3.5T Electric forklift

CPD30J / CPD35J



安徽江淮银联重型工程机械有限公司  
ANHUI JIANGHUI-YINLIAN HEAVY-DUTY CONSTRUCTION MACHINE CO.,LTD

<https://forklift-manuals.jimdofree.com>

# JAC FORKLIFT SPECIFICATION

## 3.0-3.5T Electric forklift



Model		Unit	CPD30J		CPD35J	
1	Load Capacity	kg	3000		3500	
2	Load Center	mm	500		500	
3	Mast Lifting Height	mm	3000		3000	
4	Mast Free Lifting	mm	160		70	
5	Fork	mm	1070 × 125 × 45		1070 × 125 × 50	
6	Mast Tilt( FR/RR)	-	6/12		8/12	
7	Turning Radius	mm	2497		2520	
8	Ground Clearance	mm	120		120	
9	Height of Overhand Guard	mm	980		980	
10	Overhang (FR)	mm	474		492	
	Max.Speed(load)	km/h	12		12	
12	Max.Lifting Speed(load)	mm/s	260 ( BC )	260 ( AC )	260 ( BC )	260 ( AC )
13	Max. Gradeability	%	15	15	10	10
14	Overall length(No fork)	mm	2585		2603	
15	Overall Width	mm	1250		1250	
16	Wheelbase	mm	1700		1700	
17	Tread	Front/Rear	1000/990		1000/990	
18	Service Weight	kg	4960		5400	
19	Battery	Voltage/Capacity	80/500		80/550	
20	Motor	Traveling	KW		16.6	
21		Lifting	KW	13	13.5	13
22	Way of Control		BC	AC	BC	AC
23	Operating Pressure	Mpa	18.5		18.5	
24	Max.Drawbar Pull	KN	21		21	

